TABLE 5C-2
REPORTABLE SPONTANEOUS FETAL LOSSES¹ BY GESTATIONAL AGE, WEIGHT IN GRAMS AND COUNTY OF RESIDENCE,
ARIZONA, 2003

County of residence	Total	Gestational age ²			Weight in grams					
		20-27 weeks	28+ weeks	Unknown	<350 grams	350-499	500-2,499	2,501- 3,999	4,000+	Unknown
ARIZONA	539	285	252	2	90	95	243	86	12	13
Apache	8	5	3	0	2	1	4	0	1	0
Cochise	15	9	6	0	3	2	7	2	0	1
Coconino	14	5	9	0	1	1	7	4	0	1
Gila	1	0	1	0	0	0	0	1	0	0
Graham	8	3	5	0	0	1	5	2	0	0
Greenlee	2	1	1	0	1	0	1	0	0	0
Maricopa	330	187	141	2	55	70	146	47	8	4
Mohave	10	5	5	0	2	1	4	3	0	0
Navajo	9	1	8	0	0	1	6	2	0	0
Pima	80	41	39	0	13	11	35	16	0	5
Pinal	16	7	9	0	4	2	5	3	1	1
Santa Cruz	1	1	0	0	0	0	1	0	0	0
Yavapai	14	6	8	0	3	2	4	4	0	1
Yuma	30	13	17	0	6	2	18	2	2	0
La Paz	1	1	0	0	0	1	0	0	0	0

¹Include spontaneous terminations of pregnancy at 20 or more weeks of gestation (or if gestational age is unknown, the deaths of fetuses of at least 350 grams in weight), exclude induced terminations of pregnancy.

² For statistical purposes, fetal deaths are classified according to gestational age. A death that occurs at 20 or more weeks of gestation constitutes a fetal death, and after 28 weeks it is considered a late fetal death.